

SMART TOILETS

---

# AQUATIZ



# A series

Intergrated Smart Toilets

Streamlined · Modern



Patented E-SHION flushing




Pre-wash



Diatom deodorization







## E-SHION flushing technology

Unique E-SHION flushing system and patented tornado flushing technology  
Flushing sound as low as 63 DB

● Utility model patent (ZL201720556977.0): Fill/flush integrated valve with switching mechanism



## Pre-washing for easy maintenance

The bowl will pre-wash before flushing to keep cleanliness.





**A6**

Dimension: 700×393×485mm  
 Rough-in: 305mm/400mm  
 Flushing volume: optional single 4.8L and dual 6L (full) /4.2L (half)  
 Heating mode: instant heating  
 Flushing mode: built-in tank, siphonic flushing  
 Power supply: 220V











**A7**

Dimension: 700×396×485mm  
 Rough-in: 305mm/400mm  
 Flushing volume: optional single 4.8L and dual 6L (full) /4.2L (half)  
 Heating mode: instant heating  
 Flushing mode: built-in tank, siphonic flushing  
 Power supply: 220V



**A9**

Dimension: 700×396×485mm  
 Rough-in: 305mm/400mm  
 Flushing volume: optional single 4.8L and dual 6L (full) /4.2L (half)  
 Heating mode: instant heating  
 Flushing mode: built-in tank, siphonic flushing  
 Power supply: 220V/110V (optional)






# G series

Tankless Smart Toilets


## Smart IOT



AI  
voice control



WIFI  
smart control



LED  
display



Dual cleaning  
technology







## LED digital display

Air temperature, water temperature, seat temperature, all in control



## Two open modes of lid

**Radar Sensor:**

The lid will open automatically when user approaches and close when user leaves.

This function can be switched between on and off.

**Foot Sensor:**

The lid and seat will open automatically when the foot sensor is activated.



## G15

Dimension: 700×393×476mm




Rough-in: 305mm/400mm

Flushing volume: optional single 4.8L and dual 6L (full) /4.2L (half)

Heating mode: instant heating

Flushing mode: wash-down siphonic flushing



Power supply: 220V/110V (optional)








V7216




- Wall-hung toilet
- Seat heating
- Patented arc-shape spray wand
- Diatom deodorization

- Warm air dryer
- Mobile washing instant heating
- Night light
- Off-seat auto flushing



V7232

Dimension: 570×375×403mm  
 Flushing volume: 6L (full) / 4L (half)  
 Heating mode: instant heating  
 Flushing mode: gravity-fed flush, back outlet  
 Power supply: 220V-240V, 50/60Hz  
 Optional actuators: dual flush  
 Meet EN1717 standard



- Wall-hung toilet
- Seat heating
- Patented arc-shape spray wand
- Diatom deodorization

- Warm air dryer
- Mobile washing instant heating
- Night light
- Off-seat auto flushing



# V7201

## Wall-hung Smart Toilets

Compact, streamlined smart toilet with integrated personal cleansing



Wall-hung toilet



Off-seat auto flushing



Mobile washing



Seat heating



Warm air dryer



Night light



Seat sensor



Soft-close








### No more hard-to-reach corners, dirt free

Wall-hung design for thorough cleaning

### Instant heating, multi-gear washing

Multiple gears washing, switch at will, comfortable and convenient



### Patented arc-shape spray wand

Patented design, the distance between falling waste and spray wand is up to 120mm, which not only optimizes the cleaning range, but also provides wider spray range.

### Off-seat auto flushing

Off-seat auto flushing, touchless, more hygienic



### Separate washing for men and women, caring everyone's need


Simple and clear design of the remote control, easy to use. IPX7 waterproof, safe to use in the damp bathroom. Wall-attached design for convenient storage and reach.



### Bearing load up to 400kg

High strength frame made from high quality materials, bearing load up to 400kg.

Data from R&T Lab.



## V7201

Wall-hung smart toilet



### 01 G3003PD

Concealed cistern with optional actuators:

- |                       |                          |
|-----------------------|--------------------------|
| G3004001 Single flush | G3004108 Dual flush      |
| G3004109 Dual flush   | G3004110 Dual flush      |
| G3004111 Dual flush   | G3004112 Dual flush      |
| G3004113 Dual flush   | G3004114 Dual flush      |
| G3004115 Dual flush   | G3004116 Dual flush      |
| G3004117 Dual flush   | G3004118 Stainless steel |
| G3100003 Glass        | G3100012 Dual flush      |
| G3004121 Dual flush   |                          |



### 02 G3008PB

Concealed cistern with optional actuators:

- |                       |                          |
|-----------------------|--------------------------|
| G3004001 Single flush | G3004108 Dual flush      |
| G3004109 Dual flush   | G3004110 Dual flush      |
| G3004111 Dual flush   | G3004112 Dual flush      |
| G3004113 Dual flush   | G3004114 Dual flush      |
| G3004115 Dual flush   | G3004116 Dual flush      |
| G3004117 Dual flush   | G3004118 Stainless steel |
| G3100003 Glass        | G3100012 Dual flush      |
| G3004121 Dual flush   |                          |



### 03 G3004PI

Concealed cistern with optional actuators:

- |                       |                       |
|-----------------------|-----------------------|
| G3004001 Single flush | G3004123 Single flush |
| G3004126 Single flush | G3004127 Single flush |
| G3100017 Single flush |                       |





Bidet Seats

---



## Guiding Night Light

Nightlight designed to provide soft light for guidance in the dark.

Easy to access the toilet at night.

## One-button installation

Simply press the button to install and release the seat.  
Fit for most elongated toilet bowls.




## Wider seat more comfortable

88mm wide seat, more comfortable for long  
time sitting

## Waterproof

IPX4 waterproof design,  
safe and easy to use.




## Mobile washing with cold/ hot water

Washing alternately with hot and cold water to  
promote blood circulation

## Easy disassembly and cleaning

Detachable nozzle for regular disassembling and washing,  
more hygienic





# Slim & Modern


Compact and elegant design meets various bathroom styles.



**Oxygen-rich washing,  
spa-level enjoyment**


Water flow mixed with air for massage and cleaning,  
more comfortable





### V3203

Dimension: 517×380×112mm  
 Operation mode: side button control/remote control  
 Heating mode: instant heating  
 Closing: quiet soft close  
 Waterproof: IPX4  
 Elongated U  
 Power supply: 220V/110V (optional)




- Mobile washing instant heating
- Warm air dryer
- Seat heating
- Patented arc-shape spray wand
- Night light
- Photocatalyst-free deodorization
- Anti-freezing and anti-cracking
- Friction welding design



### V8900 Non-electric bidet seat

Dimension: 500×365×60mm  
 Operation mode: knob control  
 Elongated U

Mounting plate available	Serial number	B
	PV0060301	135-165mm
	PV0060302	185-215mm



- Rear washing
- Front washing
- Nozzle self-cleaning
- Noise-free soft close
- One-button release
- Anti-bacterial nozzle